
UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/555,723	11/07/2005	Andreas Smolarek	HEU-003USRCE2	2043
	7590 03/07/201 LINS RILEY & SCAI		HEU-003USRCE2 2043  EXAMINER  ALIE, GHASSEM  ART UNIT PAPER NUMBER  3724	INER
FLOOR 30, SU	OOR 30, SUITE 3000 ALIE, GHASSEM		HASSEM	
BOSTON, MA	FICE SQUARE 02109		ART UNIT	PAPER NUMBER
,			3724	
			MAIL DATE	DELIVERY MODE
			03/07/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/555,723	SMOLAREK, ANDREAS	;
Office Action Summary	Examiner	Art Unit	
	GHASSEM ALIE	3724	
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet w	ith the correspondence address	:
A SHORTENED STATUTORY PERIOD FOR REPLANT OF THE MAILING IN STATUTORY PERIOD FOR REPLANT OF THE MAILING IN STATE OF THE MAILING	DATE OF THIS COMMUNI .136(a). In no event, however, may a d will apply and will expire SIX (6) MOI te, cause the application to become A	CATION. reply be timely filed  NTHS from the mailing date of this communic BANDONED (35 U.S.C. § 133).	
Status			
<ul> <li>1) Responsive to communication(s) filed on 29 of 2a) This action is FINAL.</li> <li>2b) The 3 of 2b of 2b of 2b of 2a of 2</li></ul>	is action is non-final. ance except for formal mat	·	ts is
Disposition of Claims			
4) ☑ Claim(s) 2-10 is/are pending in the applicatio 4a) Of the above claim(s) is/are withdres 5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) 2-10 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/	awn from consideration.		
Application Papers			
9) The specification is objected to by the Examination The drawing(s) filed on <a href="25 February 2010">25 February 2010</a> is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examination The oath or declaration is objected.	re: a)⊠ accepted or b)□ e drawing(s) be held in abeya ction is required if the drawing	nce. See 37 CFR 1.85(a). I(s) is objected to. See 37 CFR 1.1	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in A ority documents have beer au (PCT Rule 17.2(a)).	Application No  received in this National Stage	€
Attachment(s)			
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO/SB/08)</li> <li>Paper No(s)/Mail Date</li> </ol>	Paper No	Summary (PTO-413) s)/Mail Date informal Patent Application	



# **Claim Objections**

1. Claim 6 is objected to because of the following informalities: in claim 6, line 3, "engagement members" should be --side engagement members--. Appropriate correction is required.

### Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Application/Control Number: 10/555,723 Page 3

Art Unit: 3724

3. Claims 2-10 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Regarding claim 2, "the one or more protruding engagement members being configured to grip a recess of one half-mandrel corresponding to said at least one bearing cap from an upper side and an under side of the extension mandrel" is confusing. If the protruding member is one protruding member, the protruding member can only engage either the underside or upper side of the extension mandrel. Therefore, the limitation of "at least one or more protruding engagement members: should be --two protruding engagement members--. In addition, "the recess having horizontal surfaces on which the engagement members of the gripping means engage" is confusing. It is not clear, how a recess 26 has two horizontal surfaces. It appears that each recess 26 has a single horizontal surface that engages one of the engagement protruding members.

### Claim Rejections - 35 USC § 102

- 4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
  - (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 5. Claims 2-8 and 10, as best understood, are rejected under 35 U.S.C. 102(e) as being anticipated by Hahnel et al. US 2004/0011842, hereafter Hahnel. With respect to claim 2, Hahnel discloses a device configured to perform breaking separation of at least one bearing cap 4 from a corresponding thrust block in a bearing assembly an engine case provided with

bearing bores 6 arranged in-line (along axis A), comprising an extension mandrel (18) insertable into at least one of said bearing bores and said extension mandrel has two halfmandrels 18.2, 18.4, an expander 26 for moving said half-mandrels apart, said expander taking effect between said half-mandrels, at least two gripping means 14a, 14b. It should be noted that the griping means are defined by two legs of the countermount 14 that are secured to a fixing means 14c. The fixing means is defined by the horizontal bar as shown in Fig. 1 above. Hahnel also teaches that each gripping means 14a, 14b including one or more protruding engagement members, at least one the one or more protruding engagement members being configured to grip at recesses 22 of one half-mandrel 18.4 corresponding to the at least one bearing cap from an upper side and an under side of the extension mandrel, while the other half-mandrel is moving with respect to the gripping means, the recess having horizontal surface on which the engagement members of the gripping means engage. See Fig. 1 above. It should be noted that the one of the protruding engagement member is defined by at least one of the jaws of the griping means 14a, 14b that holds or retains the mandrel at recess 22. It should be noted that lower and upper members of each gripping means engages the upper and lower side of the extension mandrel. It should also be noted that the surface of the recess 22 is horizontal. The surface could be a curved surface, but it is extended horizontally. Therefore, it is considered to be a horizontal surface. Hahnel also teaches at least one or more detents 16 extending parallel to and provided between a pair of the at least two gripping means 14a, 14b. Hahnel also teaches a fixing means 14c connected to the at least two gripping means 14a, 14b and the one or more detents 16, wherein the one or mote detents contact the at least one bearing cap in a protracted position such as to apply a force to

the at least one bearing cap to clamp the at least one bearing cap 4 between said corresponding half-mandrel and said fixing means, such that a unit comprising said corresponding half-mandrel, said gripping means, said fixing means and said clamped bearing cap is supported in a freely movable manner to a limited degree, though secured against rotation, in the direction of breaking separation. It should be noted that the portion of the bearing cap 4 that is located above the top half mandrel 18.4 is clamped by the four middle legs and the detent 16 of the fixing means 14c and the top half mandrel 18.4. See Fig. 1 above. It should also be noted that the at least two detents 16 protrude from the fixing means 14c, since it is connected to the fixing means and protrudes downward from the fixing means in between middle legs 14. It should be noted that the claim does not specify how the detents are protruded from the fixing means.

With respect to claim 3, Hahnel discloses the device wherein said half-mandrel corresponding to said bearing cap comprises at least one recess (section 22 forms a recess) engageable with said gripping means 14a, 14b.

With respect to claim 4, Hahnel discloses the device wherein said half-mandrel corresponding to said bearing cap comprises, at its periphery on mutually facing sides, tangentially extending insertion slots (gaps formed between sections 24) for said gripping means, said slots being in communication with said at least one recess (the slots are "in communication" with the recess for actuator 26 because they are mounted on the same device)..

With respect to claim 5, Hahnel discloses the device wherein at least one recess (the final space after the furthest left raised section 24 on figure 2; between 20 and 24), when

Application/Control Number: 10/555,723 Page 6

Art Unit: 3724

viewed in an axial direction of said extension mandrel, is positioned axially adjacent to insertion slots (any of the sections 22 can be viewed as slots as they are in between raised portions 24) in each case and merges into said slots.

With respect to claim 6, Hahnel discloses the device wherein said gripping means 14a, 14b are formed by a first and a second pincer (any of the gripping points of the gripping means can be considered "pincers"), each of the first and second pincers comprise fixed jaws, the jaws having, at their ends, engagement members facing towards one another.

With respect to claim 7, Hahnel discloses the device wherein said engagement members engage with at least one recess (flat portion 22 on mandrel 18; see figure 2) within said half mandrel corresponding to said bearing.

With respect to claim 8, Hahnel discloses the device wherein said one or more detent 16 is/are force-actuated.

With respect to claim 10, Hahnel discloses the device wherein the engine case comprises a crankshaft case for a reciprocating piston engine. The workpiece (housing block 2 is the engine case and has the crankshaft case which is for a piston engine).

#### Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hahnel in view of any of Hahnel et al. (US 6,457,621), Hase (US 2002/0023939), or Knoll et al. (US

Application/Control Number: 10/555,723

Page 7

Art Unit: 3724

2002/0104864; as cited in IDS). Hahnel discloses the device of claim 8 but does not specifically disclose the setup of the gripping means (it is noted that Hanhel does not disclose a view looking through the bearing caps so it is hard to tell what the structure of the gripping means actually comprises). Hanhel does disclose the gripping means being a detent acting upon said bearing cap, but does not disclose at least two detents being spaced apart from one another, said detents acting upon said bearing cap at the side which is opposite said corresponding half-mandrel. Examiner notes that in the case of bearing cap breakers, the gripping means typically comprises two detents to secure the top of the bearing cap prior to breaking. The prior art references of Knoll et al. (figure 2), Hase (figures 1 and 5), and Hahnel et al. (figure 1) all disclose the claimed setup of the gripping means in relation to a bearing cap. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the device of Hahnel to have the gripper means comprise two detents per bearing case in view of the device of Knoll et al., Hase, or Hahnel et al. in order to grip the top of the bearing case. All the claimed elements were known in the prior art and one skilled in the art could have combined the elements as claimed by known methods with no change in their respective functions, and the combination would have yielded predictable results to one of ordinary skill in the art at the time of the invention.

## **Response to Amendment**

8. Applicant's argument that Hahnel does not disclose how the gripping means 14a, 14b would contact with the extension mandrel is not persuasive. Firstly, the claims do not recite that each of the two gripping means interlocking positively with the corresponding mandrel. In other words, it is not clear how the griping means contact the recesses of the one half

mandrel. In addition, the horizontal surface is not defined in a manner to overcome the prior art rejection. Claim 2 should recite that the horizontal surfaces are configured to match the surface of the engagement members and both the horizontal surfaces and the surface of the engagement members are not curved as the surface of the mandrel. Secondly, the grip means 14a, 14b contact the recesses 22 of the mandrel in order to hold and support the mandrel. In this case, the gripping means contact the mandrel or extension mandrel. It should be noted that the gripping means 14a, 14b are part of the clamping and supporting means fixture 8. In this case, the gripping means at least is in contact with the mandrel. See paragraph 31 in Hahnel.

#### Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ghassem Alie whose telephone number is (571) 272-4501. The examiner can normally be reached on Mon-Fri 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley reached on (571) 272-4502. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, SEE <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-

Application/Control Number: 10/555,723 Page 9

Art Unit: 3724

9197 (toll-free). If you would like assistance from a USPTO Customer Service

Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ghassem Alie/

Primary Examiner, Art Unit 3724

March 3, 2011